



SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION



Specifications and Options

Designed as a dependable & durable, yet lightweight and flexible solution for the low budget cleaning operations, the 0625-DE has proven to be a great first step into cavitation

Accessories Included:

Feed Hose (15 feet) with electrical feed pump, Unbalanced Gun, High Pressure Hose (50 feet) and Battery Start


Optional Accessories:

Additional pressure hose available in 50 ft or 100 ft sections

Max. Pressure hose length recommended up to 300 ft (100 meters) total



CAVIBLASTER DIESEL ENGINE WITH ELECTRIC START SY-0625-DE



SKID Dimensions	
Length w/o handle	27" / 69 cm
Length w handle	33" / 84 cm
Width wheel base	22" / 56 cm
Height	21" / 53 cm
Weight	143 Lbs / 65 Kg

Pump System	
Pressure Pump	General EZ3045
Pump Material/ Type	Brass / Positive Displacement
Flow Rate	4.5 gpm / 17.1 Lpm
Nozzle Pressure	2,500 psi / 172 Bar
Hose Diam/Max Lgth	3/8" - 300 ft / 100 m

Tools	
Tool Type	Unbalanced Gun

Shipping Dimensions	
Pallet 40x48x36"	240 Lbs Gross weight

Drive System	
Engine	Kohler Diesel KD420
Engine Type	4-Stroke
Cooling System	Air
Ignition System	Direct Injection
Lubrication	Full-Pressure w/ filter
Max Output HP/kW	9.1 HP / 6.8 kW
Clutch	Direct Drive
Starting System	Electric Starter

Ideal For	
Small to Mid size Boat Hulls	
Piers, Pilings & Seawalls	
Running gear & Out drivers	
Pools & Indoor Underwater Instalations	

SYNERGY INFRASTRUCTURE





SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK



CAVIBLASTER DIESEL ENGINE WITH ELECTRIC START SY-0625-DE

Contact us

P.O. Box – 237849, Warehouse No 8,
Al Maidoor Warehouse, Al Qusais,
Industrial Area - Dubai - UAE

Tel : 009714 2580533
 Fax : 009714 2580534
 UAE : 00971505648178
 UK : 00447951966260

Website : www.synergiequipment.com
 Email : ram@synergiequipment.com
 For Sale : info@synergiequipment.com

