



SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION




890 SERIES HYDRAULIC SAW

REDESIGNED WITH THE USER IN MIND

The ICS 890 Series hydraulic cutting system offers the superior strength of FORCE4® technology. From the redesigned, more durable rear handle, to the easy to replace drive sprocket, this saw is engineered to stand up to your toughest jobs. In a package that exceeds industry standards this sleek powerhouse is packed with features designed to make it work as hard as you do





890 SERIES HYDRAULIC SAW

890 SERIES PRODUCT SPECIFICATIONS - 12 GPM

WEIGHT	27.3 lbs (12.4 kg) with 15-inch (38 cm) bar/chain and 1' (.3 m) hose whips
BAR LENGTH	Up to 25 in (63 cm)
MOTOR SPEED 6100 rpm	6100 rpm
POWERHEAD	23 in (58.5 cm) length
DIMENSIONS	10.5 in (26.5 cm) height 9.5 in (24 cm) width
TORQUE	122 in-lbs (13.8 Nm)
HORSEPOWER	11.5 hp (8.6 kW)
HYDRAULIC SUPPLY	8 gpm (30 lpm), 2500 psi (172.5 bar)
NOISE LEVEL	98 dB @ 3 ft (1 m) (Sound pressure level) 107 dB @ 3 ft (1m) (Sound power level)
VIBRATION LEVEL	2.0 m/second ² (front handle) 6.0 m/second ² (rear handle)
WATER SUPPLY	Minimum 20 psi (1.5 bar)

890 SERIES PRODUCT SPECIFICATIONS - 12 GPM

WEIGHT	27.3 lbs (12.4 kg) with 15-inch (38 cm) bar/chain and 1' (.3 m) hose whips)
BAR LENGTH	Up to 25 in (63 cm)
MOTOR SPEED 6100 rpm	6500 rpm
POWERHEAD	23 in (58.5 cm) length
DIMENSIONS	10.5 in (26.5 cm) height 9.5 in (24 cm) width
TORQUE	170 in-lbs (19.2 Nm)
HORSEPOWER	17.5 hp (13 kW)
HYDRAULIC SUPPLY	12 gpm (45 lpm), 2500 psi (172.5 bar)
NOISE LEVEL	98 dB @ 3 ft (1 m) (Sound pressure level) 107 dB @ 3ft (1 m) (Sound power level)
VIBRATION LEVEL	2.0 m/second ² (front handle) 6.0 m/second ² (rear handle)
WATER SUPPLY	Minimum 20 psi (1.5 bar)

890 SERIES HYDRAULIC SAW

Redesigned rear handle offers improved ergonomic cutting and greater durability

New secondary water shut off valve for flow metering and water conservation

Available with 1' or 8' hoses; 1/2" quick disconnects included for convenience

3 scratch resistant bubble levels for more accurate vertical and horizontal cutting

New drive sprocket design allows for quick replacement in the field



Universal motor across 890 series saw platforms and compatible with ICS 880 series saw





SYNERGY
INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK

SYNERGY INFRASTRUCTURE





SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK












ISO 45001:2018 OHSMS






890 SERIES HYDRAULIC SAW

Contact us

 P.O. Box – 237849, Warehouse No 8,
Al Maidoor Warehouse, Al Qusais,
Industrial Area - Dubai - UAE

 Tel : 009714 2580533 
 Fax : 009714 2580534 
 UAE : 00971505648178 
 UK : 00447951966260 

 Website : www.synergiequipment.com
 Email : ram@synergiequipment.com
 For Sale : info@synergiequipment.com

