



SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION



HIGH PRESSURE CYLINDER SY-HPC




HIGH PRESSURE CYLINDER SY-HPC



Cylinder	IL1.50.229.200
Manufacturing Standard	ISO 9809-1
Dimensions	229mm OD x 1480 mm Length x 50.0 ltrs
Material	34CrMo4
Manufacturing Process	Hot spinning of seamless steel tubes
Heat Treatment	Hardened quenched and tempered
Working Pressure	200 bar
Hydraulic Test Pressure	300 bar
Minimum Burst Pressure	480 bar
Volumetric Capacity (nominal)	50 Litres
Nominal Gas Capacity	10 cu.m (Approx)
Cylinder Outside Diameter (+_1%)	229mm
Cylinder Length (without valve (+_20MM))	1470mm (Approx)
Tare Weight (+_5%)	54 kg (Approx)
Gas Application	Breathing air
Neck Thread Specification	25E as per EN-629
Valve	Hand wheel operated valve with bs3 outlet
External Finish	Powder coated as per gas color code for breathing Air grey (ral 7035) with white/black neck

SYNERGY INFRASTRUCTURE





SYNERGY

INNOVATIVE DIVING EQUIPMENT TRADING LLC

INSPIRING • ENGINEERING • INNOVATION

UAE • UK



ISO 45001:2018 OHSMS












AN ISO 14001:2015 EMS CERTIFIED COMPANY






HIGH PRESSURE CYLINDER SY-HPC

Contact us

 P.O. Box – 237849, Warehouse No 8,
Al Maidoor Warehouse, Al Qusais,
Industrial Area - Dubai - UAE

 Tel : 009714 2580533 
 Fax : 009714 2580534 
 UAE : 00971505648178 
 UK : 00447951966260 

 Website : www.synergiequipment.com
 Email : ram@synergiequipment.com
 For Sale : info@synergiequipment.com

