



## SYNERGY ELECTRIC DIVER HOT WATER MACHINE (SY-SB-DHM-E02)





























#### **DIVERS HOT WATER UNIT (DIESEL)**

# The Synergy Bell Electric Water Heater is a compact, popular unit, ideal for diver heating applications.

The heater unit offers a high capacity heating solution in a robust stainless steel frame with a small footprint that makes effective use of available deck space.

Five banks of individually switched heater elements heat the supply water up to  $42^{\circ}$ C ( $74^{\circ}$ F) above the ambient or supply temperature and by selecting a suitable bank or combination of banks, basic water temperature control is achieved. The finer control of the output water temperature is accurately maintained to within  $\pm 1^{\circ}$ C of the required set point by an electronic controller actuated valve The unit features a positive displacement pump with a minimum delivery of 30 litres per minute at pressures that are adjustable up to 15 bar . The system can be used up to 200 fsw diving depth. Two water filters / strainers are provided to ensure continuous and trouble free pump operation. Analogue temperature / pressure gauges are fitted to the supply / delivery manifolds for easy performance monitoring.

The unit is encased into a robust stainless steel offshore crash frame with 4 certified lifting points

S/I	Recommended usage	
1	Heating of air diver suit	
2	Heating of Mix gas diver suit	
3	Heating of Bell diving system	
4	Backup or redundancy diver heating system	
5	Backup or redundancy bell heating system	

S/I	Specifications	
	Inputs	
1	Power requirement 380/440V, 50/ 60Hz, 145/130A 3-Phase	
2	Main Fluid requirement -Sea Water at pressure >1 bar, >30 ltr/min	
3	Alternate Flushing Fluid Supply Fresh Water at pressure >1 bar, >30 ltr/min	
	Outputs	
1	Fluid Temperature Heating range 0oC - 42oC (above supply temperature)	
2	Fluid Delivery Temperature Set-Point Accuracy +1oC	
3	Fluid Delivery rate 30 ltr/min approx at 15 bar pressure	

Certifications	Provided with each hot water machine
International	IMCA D018 / D023 / D024
Manufacturer	Production, testing and electrical certificates
Class	Bureau Veritas Lifting test certificates (including MPI)

Warranty	12 month / 3000 hour standard warrant	/

#### **ORDERING INFORMATION**

S/I	Part Number	Description
1	SY-SB-DHM-E02	ELECTRIC HOT WATER MACHINE











### **SYNERGY INFRASTRUCTURE**





### **SYNERGY ELECTRIC DIVER HOT WATER MACHINE (SY-SB-DHM-E02)**

# **Contact us**

P.O. Box – 237849, Warehouse No 8, Al Maidoor Warehouse, Al Qusais, Industrial Area - Dubai - UAE

Website: www.synergyequipment.comEmail: ram@synergyequipment.comFor Sale: info@synergyequipment.com













