











#### **NEANDER DTORQUE.**

THE FIRST TURBO DIESEL OUTBOARD WITH DUAL CRANKSHAFT.

The NEANDER Dtorque Turbo Diesel sets a new benchmark in diesel engineering, especially for outboard motors. Its 800cm³ twin-cylinder aluminium powerhead delivers a lusty 50hp at the propeller shaft. But what's more remarkable is its torque output. Peaking at 111Nm at 2,500rpm, that's more than the bestperforming 70hp 4-valve technology electronic fuel injected four-stroke gasoline outboards on the market today.

This gives the Dtorque exceptional lugging ability as well as the ability to get onto the plane quickly, and both with modest fuel consumption. Here, it scores outstandingly. Expect little more than 10 to 12 litres per hour at full throttle



Counter-rotating crankshafts in the powerhead reduce noise and vibration to a minimum.



Low fuel consumption means less queuing for fuel.



The kind of figure that a 70hp gasoline outboard would be returning at 2,000rpm before its steep climb towards 30 to 40 litres per hour flat-out at full load. (Source: magazine "boote") All this, as well as emissions well within the latest EU limits, is with state-of-theart common rail fuel injection (BOSCH), but NEANDER's unique innovation is its dual counter-rotating crankshaft design. By generating opposite forces, the two shafts cancel out most of the vibrations and moments around the steering axis that would otherwise make such a small and powerful twincylinder diesel outboard hard to handle

























Gasoline outboards are for leisure use mainly. When you've got a serious job of work to do and need to put in a full shift day after day you need the hardworking dependability of a diesel engine.

Now operators of small workboats have that option in outboard form with the NEANDER Dtorque.

This compact unit is the only outboard in the mid-power range to offer all the advantages of stateofthe-art diesel engineering. The NEANDER Dtorque develops a creditable 50hp when you need a turn of speed, but it's the torque figure that matters most in the working environment. The delivery of a mighty 111Nm at 2,000-3,000rpm will get you quickly up onto the plane and also provide all the muscle you need when the boat is fully laden.

whether you are patrolling harbours, delivering supplies afloat, transferring personnel, or checking nets, NEANDER Dtorque is the strong, reliable work- horse you need for unwaveringly reliable perfor- mance, long range, and low operating costs time after time. But for a workhorse it is also remarkably refined. Its unique dual counter-rotating crankshaft engineering means ultra-low vibration and noise, so less fatigue for the user at the end of the working day. And less stress for the engine and its suspension as well.













Queuing at the fuel pump can take up valuable working time, but the frugal diesel consumption of the NEANDER Dtorque means fewer refuelling stops and lower running costs than you would expect from most gasoline outboards of 60 or 70hp with lower torque output. Its fuel consumption peaks where the gasoline burners are just starting out. Then at full throttle 2.5 times more fuel is likely to be used by the gas outboards than the diesel fuel-sipping Dtorque

For most applications, with a NEANDER Dtorque on your transom you have all the benefits of less frequent visits to the pumps -- so less downtime, greater operational independence, more productive working hours and, when it comes to running costs, a better bottom line on the balance sheet at the end of the month.





















For operational reasons in the great majority of work- boat applications, from fish farming to harbour patrol duties, offshore wind-turbine farms to charter services, the technical advantages of the Dtorque's advanced diesel engineering are clear. But for those working in environ- ments where fire is a real hazard, such as in the offshore oil industry, diesel has the added safety benefit of low flammability.

For its size, NEANDER's unique 800cm<sup>3</sup> reciprocating two-cylinder diesel powerhead design produces an impressive 50hp. More important is its 111Nm torque output, which outstrips that of most of the latest 70hp gasoline outboards on the market. But what's most impressive is minimal vibration.

The secret behind that is the company patented 'Spaceball' design. The aluminium cylinder block houses dual crankshafts which rotate in opposite directions to absorb the considerable vibration that a conventional small two-cylinder diesel engine would normally generate.

For the user, the benefits are immediately apparent. Less vibration, less noise, and lighter boat handling without having to continually wrestle with the tiller to correct for torque steering all mean less operator fatigue - and less stress on the engine.

The engineering refinement doesn't end there. Common-rail fuel injection -- rare indeed in diesel engines as small as this one -- and turbocharging with integrated charge air cooling are just two of a list of features which contribute to perfor- mance, fuel saving and lower emissions.

That's just one good reason why gasoline is seldom carried on most large seagoing vessels. In the wider picture, diesel is always the sensible propulsion option for tenders to run and collect crew, passengers, and goods ashore where docking is not always practical, for example with cruise ships and mega-yachts.






















All of the moving parts of the vertically-mounted Dtorque engine are clearly seen in this CADCAM screen display. Central to the assembly are the dual crankshafts with their miniature counterrotating flywheels. Light weight connecting rods are connected to crankshafts by two inline pistons, while aspiration is provided by four camshaft-driven valves per cylinder.

This two-dimensional diagram shows clearly how the two reciprocating pistons complement each other at the full extent of their up and down strokes. It may look simple, but the asymmetric engine cycle with its short compression stroke, longer intake stroke and shorter expansion stroke required particular attention from the NEANDER Dtorque engineering design team. The benefit, however, is improved thermal efficiency with an extended piston work stroke.





This two-dimensional diagram shows clearly how the two reciprocating pistons complement each other at the full extent of their up and down strokes. It may look simple, but the asymmetric engine cycle with its short compression stroke, longer intake stroke and shorter expansion stroke required particular attention from the NEANDER Dtorque engineering design team. The benefit, however, is improved thermal efficiency with an extended piston work stroke.















ENGINE SPECS	
Power	36,8 kW/50 hp at 3.500 - 4.000 min-1
Max. Torque	111 Nm at 2000 - 3000 min-1
Engine Type	4-Stroke turbo diesel
Balance	Dual counter-rotation crankshafts
Swept Volume	804 ccm
Bore x Stroke	80 x 80 mm
No. Cylinders	2 In-Line, twin
Intake	Water cooled turbo charger and charge air cooling
	Integrated dry sump – pressure lubricated
Lubrication	Diesel
FuelInjection	Bosch common rail direct injection
Starting	Electric
Alternator	Standard 12 V/300 W
Cooling	NEANDER Active Thermo-Management
Exhaust	System (ATMS)
Steering	Integrated underwater thru-hub propeller
Suspension	Tiller / remote control, optional
	Silent-block-controlled compression and traction
Trim	Power trim
Transmission	Mechanical – dog-clutch gearing
Available Shaft	Ratio 13/27 (2.07:1)
Standard Propeller	Versions 20" and 25"
Туре	3-blade with built-in damper
Weight	Basic Version 175 kg (dry)



































# Contact us

29th Street, Amman Road, Behind Al Huraiz Est. For Industry, Al Qusais, Industrial Area - 1, Dubai, United Arab Emirates

: 009714 2580533

Fax: 042516664

UAE: 00971505648178

UK: 00447951966260

Website: www.synergyequipment.com

: ram@synergyequipment.com

For Sale: info@synergyequipment.com

